

0 00000

FOREST DEVENTER CRS®

Elegant traversing rod system.

THE WORLD BEHIND your DRAPERIES..

FOREST DEVENTER CRS®



PRODUCT INFORMATION

- Elegant hand drawn traverse rod system for medium weight draperies.
- Bendable
- Can be used with pinchpleat, ripplefold or accordiafold draperies.
- Recommended maximum fabric weight: 4 lbs per foot depending on application.
- Finish colors available: satin brass, white, satin nickel, black, antique bronze, graphite, silver and taupe.
- Rod is high quality aluminum, chromated, powder coated or anodized and lubricated.

- 1 Deventer CRS Traverse Rod
- 2 Deventer CRS Traverse Rod

8

- 3 Ball Finial
- 4 End Cap Finial
- 5 Carrier
- 6 Double Wall Bracket













90 Silver



6

Taupe




BENDING / CURVING

The rod can be curved and reversed curved using an 8" radius. Actual size template is required.



PROFILE


- Weight: 5.4 ounce per ft.
- Aluminium Extrusion
- Dimensions: 1 1/8" diameter



FOR USE IN

Hotels, motels, offices, schools, healthcare facilities, residences or at any location an elegant traverse system is desired.

APPLICATIONS



FOREST DEVENTER CRS®

MOUNTING BRACKETS

Flush Ceiling Bracket, 53408-22, 24, 25, 29, 59, 81 Finials cannot be used with this bracket. 1 3/4" Projection




Double Wall Bracket, 53406-XX 6" Projection


3″

2 1/2"


3″



Single Bracket, 53401-XX 3" Projection



Extended Single Bracket, 53402-XX 4 3/4" Projection



1 1/8" DEVENTER CRS TRAVERSING COMPONENTS



51419-XX 1 1/8" Aluminum CRS Rail, 19'



52430-XX Deventer End Cap Finial



52431-XX Deventer Ball Finial



52432-XX Deventer Notched Finial



53401-XX Single Wall Bracket 3″ P



53402-XX Extended Single Wall Bracket 4 3/4" P



Double Wall Bracket 6″ P Do not use with Ripplefold



53407-XX Extended Double Wall Bracket 7 3/4″ P Use with Ripplefold



53412-XX

Inside Mount Bracket



2 1/2

53403-XX Bracket Extension



53408-22, 24, 25, 29, 59, 81 Flush Ceiling Bracket CANNOT USE FINIALS




52110-25 CRS Carrier UV-proof, synthetic material



52002-25 -59 Black, -65 Brown Slim Line Ball Bearing Carrier



2107-25 60% fullness, 2 5/8" OC 2106-25 80% fullness, 2 3/8" OC 2105-25 100% fullness, 2 1/8" OC 2108-25 120% fullness, 1 7/8" OC -59 Black Wheeled Connected Snap Carrier in plastic sleeve



52502-25 Overlap R 52504-25 Underlap L -59 Black Standard Multi-Functional Master Use stiffener w/ exposed baton or hooks w/ hidden baton



52502-25A Overlap R 52504-25A Underlap L -59A Black Standard Multi-Functional Master w/ snaps



52411-25A Butt R 52412-25A Butt L Wheeled Butt Master w/snap adaptor Designed for hidden baton



2207-25 60% fullness, 2 5/8" OC 2206-25 80% fullness, 2 3/8" OC 80% Only -24 Gold, -59 Black, -65 Brown, -90 Silver 2205-25 100% fullness, 2 1/8" OC 2208-25 120% fullness, 1 7/8" OC Wheeled Connected Snap Carrier on plastic strip



52420-25 Metal End Stop w/ Screw For attaching one carrier as end stop



53413-90 Rail Connector aluminum, 3"



2551-25 Small Extension Arm

